



EC-Type Examination Certificate

- (1)
(2) **Equipment or Protective Systems Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC**

(3) EC-Type Examination Certificate Number:

FTZÚ 05 ATEX 0086

(4) Equipment or protective system: **In-line straight bi-directional flame arrester for stable
detonation DN 50, type J 134.50/P4BD2/II**

(5) Manufacturer: **ADAMOV – SYSTEMS a.s.**

(6) Address: **Mírová 2, 679 04 Adamov, Czech republic**

(7) This equipment or protective system and any of acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) The Physical Technical Testing Institute, notified body number 1026 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report N°

05/0086 dated 15 June 2005

(9) Compliance with Essential Health and safety requirements has been assured by compliance with:

EN 12874:2001

(10) If the sign „X“ is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

(11) This EC-TYPE EXAMINATION CERTIFICATE relates only to the design, examination and testing of the specified equipment or protective system in accordance to the directive 94/9/EC. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.

(12) The marking of the equipment or protective system shall include following:

 **II 1G IIB**

This EC-Type Examination Certificate is valid till: **30 of June 2010**

Responsible person:


Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 16 of June 2005

Number of pages: 3

Page: 1/3

This certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This certificate may only be reproduced in its entirety and without any change, schedule included.



Physical Technical Testing Institute
Ostrava-Radvanice

(13)

Schedule

(14) **EC-Type Examination Certificate N° FTZÚ 05 ATEX 0086**

(15) Description of Equipment or Protective System:

In-line straight bi-directional flame arrester for detonation, type J 134.50/P4BD2/II is designed as bi-directional arrester for stable detonation. Flame arrester consists of the following main parts:

- arrester housing with connection flanges DN 50 according to ISO 7005-1;
- tape flame arrester element

Flame arrester element consists of six tape flame arrester elements with gap (high of crimped tape) $\leq 0,4$ mm.

Technical data:

Nominal inside diameter of arrester	DN 50
Nominal pressure	PN 10
Test pressure	1,5 MPa
Explosion group	IIB
Constructional gap of joint in arrester element	$\leq 0,4$ mm
Service temperature	- 30 °C + 60 °C
Service pressure	max. 0,14 MPa
Mass	14,5 kg

(16) Report No. : 05/0086

(17) Special conditions for safe use: --

(18) Essential Health and Safety Requirements:

18.1 Apparatus comply with essential requirement of Directive 94/9/EC, including annex 2, clause 1.0.6.

18.2 Installation and service requirements comply with requirement in accordance with cl. 6.4 of EN 12874:2001 and are given in Instruction for installation, No. OÚ/006/2005/CZ.

Responsible person:

Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 16 of June 2005

Number of pages: 3
Page: 2/3

This certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This certificate may only be reproduced in its entirety and without any change, schedule included.



Physical Technical Testing Institute
Ostrava-Radvanice

(13) **Schedule**

(14) **EC-Type Examination Certificate N° FTZÚ 05 ATEX 0086**

(19) **LIST OF DOCUMENTATION**

- Technical specification document No. 1171/2005 ... 29.03.2005
- Instruction for installation, service and maintenance No. OÚ/006/2005/CZ ... 6/2005
- Drawings No.
 - 429 301 358 ... 29.03.2005
 - 425 401 347 ... 29.03.2005
 - 425 401 351 ... 29.03.2005
 - 420 401 510 ... 29.03.2005
 - 420 400 169c ... 29.03.2005
 - 420 400 511b ... 29.03.2005
 - 420 301 313 ... 29.03.2005
 - 425 401 352 ... 29.03.2005
 - 420 301 314 ... 29.03.2005
 - 425 401 353 ... 29.03.2005
 - 420 401 319 ... 29.03.2005
 - 420 401 362 ... 29.03.2005
 - 420 401 599 ... 29.03.2005
 - 420 301 394 ... 29.03.2005
 - 420 301 395 ... 29.03.2005
 - 420 401 118 ... 29.03.2005
 - 420 400 641 ... 29.03.2005
- Piece list No.
 - 429 301 358 ... 29.03.2005
 - 425 401 347 ... 29.03.2005
 - 425 401 351 ... 29.03.2005
 - 425 401 352 ... 29.03.2005
 - 425 301 353 ... 29.03.2005





(1) **Supplement No. 1 to
EC-Type Examination Certificate**

(2) **Equipment or Protective Systems Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC**

(3) EC-Type Examination Certificate Number:

FTZÚ 05 ATEX 0086

(4) Equipment or protective system: **In-line straight bi-directional flame arrester for stable
detonation DN 50, type J 134.50/P4BD2/II**

(5) Manufacturer: **Adast Systems, a.s.**

(6) Address: **Mírová 2, 679 04 Adamov, Czech Republic**

(7) This supplement of certificate is valid for: - modification of manufacturer's name
- prolongation of certificate validity

(8) Modification of certified apparatus (protective system) and any of its approved variants are specified in documentation, a list of which is mentioned in the schedule of this certificate.

(9) This supplement to type examination certificate is valid only for type examination of design and construction of product sample in accordance with Annex 3 Paragraph 6) of Directive No. 94/9/EC. The Directive contains other requirements which the manufacturer shall fulfil before products are placed on the market or introduce in service.

(10) Safety requirements of modified parts were fulfil by satisfying of following standards:


EN 12874:2001

(11) Marking of equipment designed according to this supplement shall contain symbols:

 **II 1G IIB**

(12) This type examination certificate is valid till: **30.06.2015**

Responsible person:


Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 30.06.2010

Number of pages: 2
Page: 1/2

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute. This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



**Physical Technical Testing Institute
Ostrava-Radvanice**

(13) **Schedule**

(14) **Supplement No. 1 to
EC-Type Examination Certificate N° FTZÚ 05 ATEX 0086**

(15) Description of Equipment or Protective System:

Design of the flame arrester, type **J 134.50/P4BD2/II**, is the same.
The standard EN 12874:2001 is still valid without any modification.
Modification of manufacturer's name.

(16) Report No. : 05/0086 + supplement No.1

(17) Special conditions for safe use: --

(18) Essential Health and Safety Requirements:

18.1 The apparatus fulfil the essential health and safety requirement of Directive 94/9/EC, and standard mentioned in (10).

18.2 Installation and service requirements are given in Instruction for installation, service and maintenance No. OÚ/006/2005/CZ.

(19) LIST OF DOCUMENTATION

- Instruction for installation, service and maintenance No. OÚ/006/2005/CZ on 6/2005 was replaced by Instruction for installation, service and maintenance No. OÚ/006/2005/CZ on 5/2010
Further documentation see certificate FTZÚ 05 ATEX 0086.

Responsible person:

Dipl. Ing. Šindler Jaroslav
Head of certification body



Date of issue: 30.06.2010

Number of pages: 2

Page: 2/2

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.

FTZÚ, Pikartská 7, 716 07 Ostrava Radvanice, tel +420 595 223 111, fax +420 596 232 672, e-mail: ftzu@ftzu.cz



Physical Technical Testing Institute
Ostrava-Radvanice



Supplement No. 2 to EC-Type Examination Certificate

(1)

(2)

Equipment or Protective Systems Intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC

(3) EC-Type Examination Certificate Number:

FTZÚ 05 ATEX 0086X

(4) Equipment or protective system: **Flame arrester for stable detonation, In-line, straight,
bi-directional, DN50,
Type J 134.50/P4BD2/II**

(5) Manufacturer: **Adast Systems, a.s.**

(6) Address: **Mírová 2, 679 04 Adamov, Czech Republic**

(7) This supplement of certificate is valid for: - verification according to standard listed in (10)

(8) Modification of certified apparatus (protective system) and any of its approved variants are specified in documentation, list of which is mentioned in schedule of this certificate.

(9) This supplement to type examination certificate is valid only for type examination of design and construction of product sample in accordance with Annex 3 Paragraph 6) of Directive No. 94/9/EC. The Directive contains other requirements, which manufacturer shall fulfil before products are place on market or introduce in service.

(10) Safety requirements of modified parts were fulfilled by satisfying the following standards:

EN ISO 16852:2010

(11) Marking of equipment designed according to this supplement shall contain symbols:



(12) The type examination certificate is valid till: 26. 09. 2017

Responsible person:

Dipl. Ing. Martinák Lukáš

Head of certification body



Date of issue: 26. 09. 2012

Number of pages: 3

Page: 1/3

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



Physical Technical Testing Institute
Ostrava-Radvanice

(13) **Schedule**

(14) **Supplement No. 2 to
EC-Type Examination Certificate N° FTZÚ 05 ATEX 0086X**

(15) Description of Equipment or protective system:

The design of the flame arrester type J 134.50/P4BD2/II wasn't modified. This flame arrester is in-line, straight, bi-directional, for stable detonation DET 4.

The supplement verifies requirements of new standard mentioned in clause (10).

The marking was modified and the warning labels were added.

Size flame arrester:	DN50
Explosion group:	IIB
Service temperature:	$-20^{\circ}\text{C} \leq T_o \leq 60^{\circ}\text{C}$
Service pressure:	$p_o \leq 0,14 \text{ MPa}$
Stabilised burning	BC: c (without burning time)

(16) Report No.: 05/0086-2 on 25.09.2012

The sample of flame arrester for stable detonation was tested for stable detonation without restriction. During the all stable detonation tests and deflagration tests the flame arrester sample prevented flame transmission.

The burning test wasn't carried out.

(17) Special conditions for safe use:

17.1 Instruction for installation of this flame arrester are given in manufacturer's document No. OÚ/006/2005-DET/CZ -VII/2011.

17.2 The flame arrester wasn't verified for application where the burning can occur.

17.3 For safe application of flame arresters must be fulfilled requirements according to EN ISO 16852 for installation, limits for use and supplementary protective measures.

(18) Essential Health and Safety Requirements: They are included in standards, which are mentioned in clause (10) of this certificate and manufacturer's documentation.

The other requirements and EC Directives can be valid for the product.

Responsible person:

Dipl. Ing. Martinák Lukáš

Head of certification body



Date of issue: 26. 09. 2012

Page: 2/3

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.



Physical Technical Testing Institute
Ostrava-Radvanice

(13)

Schedule

(14)

Supplement No. 2 to
EC-Type Examination Certificate N° FTZÚ 05 ATEX 0086X

(19) List of documentation:

Updated documentation:

Technical description No. 1171/2005	01.07.2011
Drawings No.: 429301358, revision a)	07.02.2011
429301819	10.04.2012
425401351, revision a)	02.02.2011
425401352, revision a)	02.02.2011
425401353, revision a)	02.02.2011
420401118, revision d)	31.01.2011
Instruction for use No. OÚ/006/2005-DET/CZ VII/2011	24.11.2011
Supplement to documentation:	
Drawings No.: 425401747	31.01.2011
420401740	31.01.2011

Responsible person:

Dipl. Ing. Martinák Lukáš

Head of certification body



Date of issue: 26. 09. 2012

Page: 3/3

This supplement to certificate is granted subject to the general conditions of the Physical Technical Testing Institute.
This supplement to certificate may only be reproduced in its entirety and without any change, schedule included.